


RACCORDI PER TERMOFUSIONE • *TERMOFUSION FITTINGS*



TEE 90°

Materiale: PP-R fino al ø63. Dal ø75 PP-RCT
 Norme: DIN 16962 - UNI EN ISO 15874
 Gamma: ø16÷125mm

90° TEE

Material: PP-R until ø63. From ø75 PP-RCT
 Standards: DIN 16962 - UNI EN ISO 15874
 Range: ø16 ÷ 125mm

Codice Item Code	Ø	Pack	kg/p	Volume m³/p	Dn	D1	D	L1	L2	H1	H
03NT16	16	100	0,019	0,0001	16	13	24	14,5	23,5	23,5	35,5
03NT20	20	150	0,025	0,0001	20	18	33	16	27	27	43,5
03NT25	25	80	0,042	0,0002	25	21	35	17	31,5	31,5	49
03NT32	32	40	0,083	0,0004	32	30	46	20	37	37	60
03NT40	40	30	0,127	0,0006	40	36	56	22	43	43	71
03NT50	50	16	0,234	0,0011	50	46	70	25	51	51	86
03NT63	63	24	0,395	0,0015	63	59	88	29	62	62	106
03NT75	75	16	0,581	0,0022	75	70	101	33	73	73	123,5
03NT90	90	8	1,028	0,0045	90	84	124	37	85	85	147
03NT110	110	4	1,650	0,0090	110	100	146	43	100	100	173
03NT125	125	3	2,833	0,0120	125	113	165	47,5	125	125	207,5